

# I tipi di container

Le tipologie di container Pevere adatti ad ogni esigenza

Pevere per i suoi trasporti usa diverse tipologie di container per poter soddisfare ogni necessità e garantire una perfetta spedizione



## STANDARD 20'

INSIDE LENGHT	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 4"	7' 8"	7' 10"	7' 8"	7' 6"	1,172 cft	4,916 lbs	47,900 lbs
5,900 m	2,350 m	2,390 m	2,342 m	2,280 m	33,2 cu.m	2,230 Kgs	21,760 Kgs

## STANDARD 40'

39' 5"	7' 8"	7' 10"	7' 8"	7' 6"	2,390 cft	8,160 lbs	59,040 lbs
12,036 m	2,350 m	2,392 m	2,340m	2,280 m	67,7 cu.m	3,700 Kgs	26,780 Kgs



## UPGRADED 20'

INSIDE LENGHT	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 4"	7' 7"	7' 10"	7' 6"	7' 6"	1,150 cft	5,060 lbs	61,996 lbs
5,900 m	2,311 m	2,390 m	2,286 m	2,280 m	32,63 cu.m	2,300 Kgs	28,180 Kgs

## HIGH CUBE 40'

39' 5"	7' 8"	7' 6"	7' 6"	8' 5"	2,694 cft	8,750 lbs	58,450 lbs
12,036 m	2,350 m	2,697 m	2,338 m	2,585 m	76,3 cu.m	3,970 Kgs	26,510 Kgs



### REEFER 20'

INSIDE LENGHT	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
17' 8"	7' 5"	7' 5"	7' 5"	7' 3"	1,000 cft	7,040 lbs	45,760 lbs
5,425 m	2,275 m	2,260 m	2,258 m	2,216 m	28,3 cu.m	3,200 Kgs	28,800 Kgs

### REEFER 40'

37' 8"	7' 5"	7' 2"	7' 5"	7' 10"	2,040 cft	10,780 lbs	56,276 lbs
11,493 m	2,270 m	2,197 m	2,282 m	2,155 m	57,8 cu.m	4,9 Kgs	25,580 Kgs

### REEFER 40' HIGH CUBE

37' 11"	7' 6"	8' 2"	7' 6"	8' 0"	2,344 cft	9,900 lbs	57,561 lbs
11,557 m	2,294 m	2,500 m	2,294 m	2,440 m	66,6 cu.m	4,500 Kgs	25,980 Kgs



### OPEN TOP 20' (UPGRADED ALSO AVAILABLE)

INSIDE LENGHT	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 4"	7' 7"	7' 8"	7' 6"	7' 2"	1,136 cft	5,280 lbs	47,620 lbs
5,894 m	2,311 m	2,354 m	2,286 m	2,184 m	32,23 cu.m	2,400 Kgs	21,600 Kgs

### OPEN TOP 40'

39' 5"	7' 8"	7' 8"	7' 8"	7' 5"	2,350 cft	8,490 lbs	58,710 lbs
12,028 m	2,350 m	2,345 m	2,341 m	2,274 m	65,5 cu.m	3,850 Kgs	26,630 Kgs



**FLAT RACK 20'**

INSIDE LENGHT	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
18' 5"	7' 3"	7' 4"	-	-	-	5,578 lbs	47,333 lbs
5,620 m	2,200 m	2,233 m	-	-	-	2,530 Kgs	21,470 Kgs

**FLAT RACK 40'**

39' 7"	6' 10"	6' 5"	- - -	12,081 lbs	85,800 lbs
12,080 m	2,438 m	2,103 m	- - -	5,480 Kgs	39,000 Kgs



**FLAT RACK COLLAPSIBLE 20'**

INSIDE LENGHT	INSIDE WIDTH	INSIDE HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
18' 6"	7' 3"	7' 4"	-	-	-	6,601 lbs	61,117 lbs
5,618 m	2,208 m	2,233 m	-	-	-	2,750 Kgs	27,730 Kgs

**FLAT RACK COLLAPSABLE 40' (STAK BED)**

39' 7"	6' 10"	6' 5"	- - -	12,787 lbs	85,800 lbs
12,080 m	2,126 m	2,043 m	- - -	5,800 Kgs	39,000 Kgs



**PLATFORM 20'**

INSIDE LENGHT	INSIDE WIDTH	PAYLOAD HEIGHT	DOOR WIDTH	DOOR HEIGHT	CAPACITY	TARE WEIGHT	MAXI CARGO
19' 11"	8' 0"	7' 4"	-	-	-	6,061 lbs	52,896 lbs
6,058 m	2,438 m	2,233 m	-	-	-	2,750 Kgs	24,000 Kgs

**PLATFORM 40'**

40' 0"	8' 0"	6' 5"	- - -	12,783 lbs	86,397 lbs
12,180 m	2,400 m	1,950 m	- - -	5,800 Kgs	39,200 Kgs



### CHASSIS 23,5'

LENGHT	TARE WEIGHT	MAXI CARGO
overall unextended 23'6"	6,600 lbs	35,500 lbs
overall extended 27'2"	6,600 lbs	39,500 lbs
lungh. max non esteso 7,20 m	2,995 Kgs	16,100 Kgs
lungh. max esteso 8,30 m	2,995 Kgs	17,920 Kgs

### CHASSIS 33' TRI-AXLE

LENGHT	TARE WEIGHT	MAXI CARGO
overall extended 41'3"	10,900 lbs	44,500 lbs*
lungh. max esteso 12,60 m	4,950 Kgs	20,185 Kgs**

### CHASSIS 40' GOOSENECK

LENGHT	TARE WEIGHT	MAXI CARGO
overall extended 41'3"	6,500 lbs	44,500 lbs*
lungh. max esteso 12,60 m	2,950 Kgs	20,185 Kgs**

\* AS PER USA ROAD LIMITATION

\*\* COME DA LIMITAZIONI AUTOSTRADALI USA

### IMPORTANT NOTE

The average specifications below are given as an indication only. Great variations can be found between series and makes. Should a client have specific requirements his trucker will be responsible to ensure that the container he is picking up fits this requirement.